

2010



Dave Shuler, Photographer | www.yachtphotography.com

SMART MOVE





TABLE OF CONTENTS

Center Consoles	
160CC & 172CC	2
187CC & 197CC	3
206CC	4
216CC & 236CC	5
256CC	6
286CC	7
Walk Arouds	
216WA & 236WA	8
256WA	9
Bay Fishers	
185BF & 195BF	10
205BF & 225BF	11
Dual Consoles	
216DC & 236DC	12
Sea Fox Merchandise	13

Due to Sea Fox's ongoing commitment to research and product development, we reserve the right to change features, specifications and/or prices without prior notification. Check with your Sea Fox dealer for complete information. Some photos shown depict optional equipment. Specifications and measurements are approximate.



Click and go!

www.seafoxboats.com

Visit us online to see a full listing of standard equipment, optional features, available upgrade packages and colored hull options.

The website also offers running footage, slideshows, an informative factory tour, new product updates, a media center, a dealer search, catalog request, the Sea Fox online store, as well as a Sea Fox owner-gearred site found at www.teamseafox.com. You'll also find virtual tours on most models, with a zoom feature, that will allow you to use your mouse to navigate the deck and/or cabin interiors, as if you were actually in the boat!

The website is easily navigated and offers tons of information right at your fingertips. Visit us today to find the Sea Fox that's right for you and your family!

SEA FOX
www.seafoxboats.com

AVAILABLE GEL COAT COLORS

ARCTIC WHITE	PITCH BLACK	FREESTYLE BLUE
PLATINUM GRAY	GULFSTREAM	RUBY RED
CAROLINA BLUE	FIGHTING LADY YELLOW	SANDSTONE

NMMA
CERTIFIED
using ABYC standards


SUZUKI
MARINE

HULL WARRANTY
LIFETIME
DURABLE. DEPENDABLE. AFFORDABLE.

160CC CENTER CONSOLE



2



172CC CENTER CONSOLE



www.seafoxboats.com



Storage under bench seat



Bow storage/fish box



48-qt. removable cooler w/cushion & backrest



Console w/aluminum dash panel for full instrumentation*



Optional fishing chair, base & pole (forward)




Optional fishing chair, base & pole (aft)



Console w/aluminum dash panel for full instrumentation*



48-qt. removable cooler w/cushion & backrest



Flip-flop cooler seat



Waterproof storage tube



Aerated live well (12 gallons)



Bow storage/fish box

160CC SPECIFICATIONS

Centerline Length: 16'1"/4.9 meters
Beam: 6'2"/1.9 meters
Bridge Clearance: 4'6"/1.4 meters
Dry Weight: 1,150 lbs/522 kg
Maximum Weight: 1,300 lbs/590 kg
Deadrise: 16°
Draft (hull): 9"/.23 meters

Fuel Capacity: 21 gallons/79.5 liters

Persons Capacity: 5 people

Total Capacity: 1,200 lbs/544 kg

Maximum Horsepower: 80 hp/60 kw

Transom: 20"/.51 meters

Standard seating: bench seat cushion

*Full Instrumentation: tachometer, speedometer, volt & fuel.

172CC SPECIFICATIONS

Centerline Length: 17'1"/5.2 meters

Beam: 6'10"/2.1 meters

Bridge Clearance: 4'9 1/2"/1.5 meters

Dry Weight: 1,350 lbs/612 kg

Maximum Weight: 1,550 lbs/703 kg

Deadrise: 15°

Draft (hull): 10"/.25 meters

Fuel Capacity: 27 gallons/102 liters

Persons Capacity: 5 people

Total Capacity: 1,300 lbs/590 kg

Maximum Horsepower: 115 hp/86 kw

Transom: 20"/.51 meters

Standard seating: flip-flop cooler seat

*Full Instrumentation: tachometer, speedometer, volt & fuel.

187CC CENTER CONSOLE



197CC CENTER CONSOLE



3

www.seafoxboats.com



Storage in console



Console w/aluminum dash panel for full instrumentation*



Rear bench seat cushion w/backrest



Bow storage/fish box



Flip-flop cooler seat



48-qt. removable cooler w/cushion & backrest




Rod boxes (2)



94-qt. removable cooler w/cushions & backrest



Optional Garmin depth/fishfinder



Console w/dash space for full electronics



Optional aft bench seat (removable) w/backrest



Optional deluxe 5-position flip-flop cooler seat

187CC SPECIFICATIONS

Centerline Length: 18'5.5 meters
Beam: 7'8"/2.3 meters
Bridge Clearance: 5'9 1/2"/1.8 meters
Dry Weight: 1,550 lbs/704 kg
Maximum Weight: 1,900 lbs/862 kg
Deadrise: 19°
Draft (hull): 12"/.31 meters

Fuel Capacity: 51 gallons/193 liters
Persons Capacity: 6 people
Total Capacity: 1,400 lbs/635 kg
Maximum Horsepower: 140 hp/104 kw
Transom: 25"/.64 meters
Standard seating: flip-flop cooler seat

*Full Instrumentation: tachometer, speedometer, volt & fuel.

197CC SPECIFICATIONS

Centerline Length: 19'8"/6 meters
Beam: 7'8"/2.3 meters
Bridge Clearance: 8'1"/2.5 meters*BC
Dry Weight: 1,900 lbs/863 kg
Maximum Weight: 2,300 lbs/1,043 kg
Deadrise: 19°
Draft (hull): 12"/.31 meters

Fuel Capacity: 60 gallons/227 liters
Persons Capacity: 6 people
Total Capacity: 1,400 lbs/635 kg
Maximum Horsepower: 140 hp/104 kw
Transom: 25"/.64 meters
Standard seating: pedestal seats (2)

*BC: Based on factory installed hard top or T-top. Add 8" for factory installed outriggers.

206CC CENTER CONSOLE

www.seafoxboats.com



4

SUZUKI
MARINE

Steve Shulay, Photographer, www.jscphoto.com

206CC SPECIFICATIONS

Centerline Length: 19'9"/6 meters
Beam: 8'1"/2.5 meters
Bridge Clearance: 7'11"/2.4 meters*^{BC}
Dry Weight: 2,350 lbs/1,066 kg
Maximum Weight: 2,750 lbs/1,247 kg
Deadrise: 19°
Draft (hull): 14"/.36 meters

Fuel Capacity: 65 gallons/246 liters
Persons Capacity: 7 people
Total Capacity: 1,700 lbs/771 kg
Maximum Horsepower: 175 hp/131 kw
Transom: 25"/.64 meters
Standard seating: upgraded pedestal seats (2)

*BC: Based on factory installed hard top or T-top. Add 8" for factory installed outriggers.



*Optional deluxe
bow cushion
w/backrest package*




*Deluxe console
w/portable toilet*



*Upgraded
pedestal seats (2)*



*Removable stern
jump seats (2) w/
backrests & cushions*



*Aerated live well
(11 gallons)*



*Console
w/dash space
for flush electronics*

216CC CENTER CONSOLE



236CC CENTER CONSOLE



5

www.seafoxboats.com



Optional leaning post w/backrest & cooler



Console w/dash space for flush electronics



Euro-transom w/2 walk-through gates



Optional T-top



Aerated live well (40 gallons)



Optional leaning post tackle bag

216CC SPECIFICATIONS
Centerline Length: 21'3"/6.5 meters
Beam: 8'6"/2.6 meters
Bridge Clearance: 8'1"/2.5 meters*^{BC}
Dry Weight: 2,600 lbs/1,180 kg
Maximum Weight: 3,400 lbs/1,544 kg
Deadrise: 19°
Draft (hull): 14"/.36 meters

Fuel Capacity: 85 gallons/322 liters
Persons Capacity: 8 people
Total Capacity: 2,000 lbs/907 kg
Maximum Horsepower: 200 hp/149 kw
Transom: 25"/.64 meters
Standard seating: upgraded pedestal seats (2)
^{*BC:} Based on factory installed hard top or T-top. Add 8" for factory installed outriggers.




Coaming pads (aft)



Optional electronics box for T-top




Seat w/backrest & storage in front of console



Console w/dash space for flush electronics



Bow storage/fish box



Gunwale rod storage

236CC SPECIFICATIONS
Centerline Length: 23'3"/7.1 meters
Beam: 8'6"/2.6 meters
Bridge Clearance: 8'2"/2.5 meters*^{BC}
Dry Weight: 2,800 lbs/1,271 kg
Maximum Weight: 3,700 lbs/1,680 kg
Deadrise: 19°
Draft (hull): 14"/.36 meters

Fuel Capacity: 101 gallons/382 liters
Persons Capacity: 8 people
Total Capacity: 2,200 lbs/998 kg
Maximum Horsepower: 250 hp/186 kw
Transom: 25"/.64 meters
Standard seating: upgraded pedestal seats (2)
^{*BC:} Based on factory installed hard top or T-top. Add 8" for factory installed outriggers.

256CC CENTER CONSOLE

www.seafoxboats.com



6



256CC SPECIFICATIONS

Centerline Length: 25'/7.6 meters
Beam: 9'3"/2.8 meters
Bridge Clearance: 8'/2.4 meters*BC
Dry Weight: 3,700 lbs/1,680 kg
Maximum Weight: 4,900 lbs/2,225 kg
Deadrise: 20°
Draft (hull): 16"/.41 meters

Fuel Capacity: 150 gallons/568 liters
Persons Capacity: 10 people
Total Capacity: 2,600 lbs/1,179 kg
Maximum Horsepower: 400 hp/298 kw
Transom: 30"/.76 meters
Standard seating: leaning post w/backrest & 72-quart removable cooler
*BC: Based on factory installed hard top or T-top. Add 8" for factory installed outriggers.



Console tackle box w/lure bag



Optional Ultima hard top




Leaning post w/deluxe cup holders, rigging tray, backrest & 72-qt. removable cooler



Gunwale rod storage w/optional blue mood lights (4)



Console w/dash space for flush electronics



Bow cushions w/curved backrests & optional bow filler board w/cushion

286CC CENTER CONSOLE

www.seafoxboats.com



7



286CC SPECIFICATIONS

Centerline Length: 28'8.5 meters
Beam: 9'8"3 meters
Bridge Clearance: 8'4"2.5 meters*^{BC}
Dry Weight: 5,000 lbs/2,268 kg
Maximum Weight: 6,500 lbs/2,948 kg
Deadrise: 21°
Draft (hull): 20"1.51 meters
Fuel Capacity: 200 gallons/757 liters

Persons Capacity: 10 people
Total Capacity: 3,000 lbs/1,361 kg
Maximum Horsepower: 500 hp/373 kw
Transom: 30"1.76 meters
Standard seating: fiberglass pod w/2 oversized custom captain's chairs w/flip-up bolster on independent slide system
*BC: Based on factory installed hard top or T-top.
Add 8" for factory installed outriggers.



*Fresh & raw water
hydracoil hoses
& sprayheads*



*Optional folding aft
bench seat (removable)
w/backrest*



Ultima hard top



*800 GPH aerated
live well (40 gallons)*



*Bow floor storage
box w/two
5-gallon buckets*



*Oversized custom captain's
chairs w/flip-up bolsters on
independent slide system*

216WA WALK AROUND



236WA WALK AROUND



www.seafoxboats.com



Upgraded pedestal seats (2)



Sink in cabin w/hand pump



Cockpit storage/fish box




Gunwale rod storage




Dash space for flush electronics



Optional hard top w/spreader lights



Optional aft bench seat (removable) w/backrest




Galley unit w/sink w/pressure water



Optional full canvas for hard top



Optional tackle center w/lure bag**



Optional utility/knife rack**



Portable toilet

216WA SPECIFICATIONS

Centerline Length: 21'3"/6.5 meters

Beam: 8'6"/2.6 meters

Bridge Clearance: 7'8"/2.3 meters*BC

Dry Weight: 2,900 lbs/1,317 kg

Maximum Weight: 3,700 lbs/1,680 kg

Deadrise: 19°

Draft (hull): 14"/.36 meters

Fuel Capacity: 101 gallons/382 liters

Persons Capacity: 8 people

Total Capacity: 2,000 lbs/907 kg

Maximum Horsepower: 200 hp/149 kw

Transom: 25"/.64 meters

Standard seating: upgraded pedestal seats (2)

*BC: Based on factory installed hard top or T-top. Add 8" for factory installed outriggers.

236WA SPECIFICATIONS

Centerline Length: 23'3"/7.1 meters

Beam: 8'6"/2.6 meters

Bridge Clearance: 7'8"/2.3 meters*BC

Dry Weight: 3,100 lbs/1,407 kg

Maximum Weight: 4,000 lbs/1,816 kg

Deadrise: 19°

Draft (hull): 14"/.36 meters

Fuel Capacity: 122 gallons/462 liters

Persons Capacity: 8 people

Total Capacity: 2,200 lbs/998 kg

Maximum Horsepower: 250 hp/186 kw

Transom: 25"/.64 meters

Standard seating: upgraded pedestal seats (2)

*BC: Based on factory installed hard top or T-top. Add 8" for factory installed outriggers.


**Team Edition Package: 800 GPH Rule Tournament Series live well pump, cushioned foot mat at helm, LED live well light, custom Sea Fox tackle bag, tackle center w/lure bag, Team Edition model designator decal & utility/knife rack.

256WA WALK AROUND

www.seafoxboats.com



9



256WA SPECIFICATIONS

Centerline Length: 25'7.6 meters
Beam: 9'3"/2.8 meters
Bridge Clearance: 7'11"/2.4 meters*BC
Dry Weight: 4,100 lbs/1,861 kg
Maximum Weight: 5,300 lbs/2,406 kg
Deadrise: 20°
Draft (hull): 16"/.41 meters
Fuel Capacity: 150 gallons/568 liters
Persons Capacity: 10 people


Total Capacity: 2,600 lbs/1,179 kg
Maximum Horsepower: 400 hp/298 kw
Transom: 30"/.76 meters
Standard seating: upgraded pedestal seats (2)
*BC: Based on factory installed hard top or T-top. Add 8" for factory installed outriggers.
**Team Edition Package: 800 GPH Rule Tournament Series live well pump, cushioned foot mat at helm, LED live well light, custom Sea Fox tackle bag, tackle center w/lure bag, Team Edition model designator decal & utility/knife rack.




Tackle box
(2 door w/lure bag)



Galley unit w/sink,
pressure water &
12-volt refrigerator




Electric toilet
w/holding tank
(27 gallons)



Optional 800 GPH Rule
Tournament Series live well
pump w/LED live well light**



Cockpit jump seats
w/backrests &
cushions (4)



Cockpit floor
storage box
w/5-gallon bucket

185BF BAY FISHER



10

SUZUKI
MARINE

195BF BAY FISHER



SUZUKI
MARINE

www.seafoxboats.com



Forward casting deck w/non-skid deck surface



Forward seats w/storage & cushions



Jump seat cushions (aft)



Storage (forward)



Console w/aluminum dash panel for full instrumentation*



Storage (aft)



Anchor locker



Aft aerated live well (19 gallons)



Forward casting deck w/non-skid deck surface



Storage (forward)



Flip-flop cooler seat



Console w/aluminum dash panel for full instrumentation*

185BF SPECIFICATIONS

Centerline Length: 17'8"/5.4 meters

Beam: 7'10"/2.4 meters

Bridge Clearance: 5'1.5 meters

Dry Weight: 1,500 lbs/681 kg

Maximum Weight: 1,700 lbs/772 kg

Deadrise: 16°

Draft (hull): 10"/.25 meters (tunnel hull)

Fuel Capacity: 27 gallons/102 liters

Persons Capacity: 6 people

Total Capacity: 1,400 lbs/635 kg

Maximum Horsepower: 140 hp/104 kw

Transom: 20"/.51 meters (tunnel hull)

Standard seating: Flip-flop cooler seat

*Full Instrumentation: tachometer, speedometer, volt & fuel.

195BF SPECIFICATIONS

Centerline Length: 19'6"/6 meters

Beam: 7'10"/2.4 meters

Bridge Clearance: 4'10"/1.5 meters

Dry Weight: 1,600 lbs/726 kg

Maximum Weight: 1,900 lbs/863 kg

Deadrise: 16°

Draft (hull): 12"/.31 meters

Fuel Capacity: 47 gallons/178 liters

Persons Capacity: 7 people

Total Capacity: 1,500 lbs/680 kg

Maximum Horsepower: 150 hp/112 kw

Transom: 25"/.64 meters

Standard seating: flip-flop cooler seat

*Full Instrumentation: tachometer, speedometer, volt & fuel.

205BF BAY FISHER



225BF BAY FISHER



11

www.seafoxboats.com



Optional leaning post w/backrest & cooler



Rear casting deck



Console w/dash space for flush electronics



Optional cushioned foot mat at helm**



Aft aerated live well (26 gallons)



Rod storage compartments (2) for 6 rods



Tackle box (3 tray)



Optional T-top



Forward aerated live well (10 gallons)



Console w/molded-in rod holders & seat w/cushion & backrest



Rod storage compartments (2) for 6 rods



Optional leaning post w/backrest & cooler

205BF SPECIFICATIONS

Centerline Length: 20'6"/6.3 meters

Beam: 8'6"/2.6 meters

Bridge Clearance: 7'9"/2.4 meters^{BC}

Dry Weight: 2,400 lbs/1,090 kg

Maximum Weight: 2,800 lbs/1,271 kg

Deadrise: 16°

Draft (hull): 12"/3.1 meters

Fuel Capacity: 60 gallons/227 liters

Persons Capacity: 7 people

Total Capacity: 1,800 lbs/816 kg

Maximum Horsepower: 200 hp/149 kw

Transom: 25"/.64 meters

Standard seating: deluxe flip-flop cooler seat

^{BC}: Based on factory installed hard top or T-top. Add 8" for factory installed outriggers.

**Team Edition Package: 800 GPH Rule Tournament Series live well pump (one per boat), cushioned foot mat at helm, LED live well light, custom Sea Fox tackle bag, Team Edition model designator decal & utility/knife rack.

225BF SPECIFICATIONS

Centerline Length: 22'6"/6.9 meters

Beam: 8'6"/2.6 meters

Bridge Clearance: 7'10"/2.4 meters^{BC}

Dry Weight: 2,550 lbs/1,158 kg

Maximum Weight: 2,950 lbs/1,339 kg

Deadrise: 16°

Draft (hull): 13"/3.3 meters (V-hull);

11"/.28 meters (tunnel hull)

Fuel Capacity: 60 gallons/227 liters

Persons Capacity: 8 people

Total Capacity: 2,000 lbs/907 kg

Maximum Horsepower: 225 hp/168 kw

Transom: 25"/.64 meters (V-bottom);

20"/.51 meters (tunnel hull)

Standard seating: deluxe flip-flop


cooler seat

^{BC}: Based on factory installed hard top or T-top. Add 8" for factory installed outriggers.


216DC DUAL CONSOLE




12



236DC DUAL CONSOLE



www.seafoxboats.com



216DC SPECIFICATIONS
 Centerline Length: 21'3"/6.5 meters
 Beam: 8'6"/2.6 meters
 Bridge Clearance: 5'1"/1.6 meters
 Dry Weight: 2,600 lbs/1,180 kg
 Maximum Weight: 3,400 lbs/1,544 kg
 Deadrise: 19°
 Draft (hull): 15"/.38 meters

Fuel Capacity: 60 gallons/227 liters
Persons Capacity: 8 people
Total Capacity: 2,000 lbs/907 kg
Maximum Horsepower: 200 hp/149 kw
Transom: 25"/.64 meters
Standard seating: upgraded pedestal seat & lounge seat

*Full Instrumentation: tachometer, speedometer, volt & fuel.

236DC SPECIFICATIONS
 Centerline Length: 23'3"/7.1 meters
 Beam: 8'6"/2.6 meters
 Bridge Clearance: 5'1"/1.6 meters
 Dry Weight: 3,000 lbs/1,361 kg
 Maximum Weight: 3,700 lbs/1,678 kg
 Deadrise: 19°
 Draft (hull): 14"/.36 meter

Fuel Capacity: 90 gallons/341 liters
Persons Capacity: 8 people
Total Capacity: 2,200 lbs/998 kg
Maximum Horsepower: 250 hp/186 kw
Transom: 25"/.64 meters
Standard seating: upgraded pedestal seat & lounge seat



Sea Fox Long-sleeve T-shirt

White 100% cotton 5.6 ounce T-shirt with black Sea Fox logo on the front left chest and full-color design on the back.


S-XL \$13
XXL \$14



Sea Fox Short-sleeve T-shirt

White 100% cotton 6.1 ounce T-shirt with black Sea Fox logo on the front pocket and full-color design on the back.

S-XL \$13
XXL \$14



Sea Fox Hoodie

8-ounce full-zip hooded sweatshirt. Black 50/50 poly cotton blend with Sea Fox logo screen printed in white down the left sleeve.

S-XL \$22
XXL \$24



Sea Fox Tank Top

HYP Chattanooga cotton 2X1 ribbed tank. Available in black with white trim and embroidery or pink heather with white trim and embroidery.

S-XL \$14



Sea Fox Shorts

Ladies jersey knit shorts with elastic waist. Available in black with Sea Fox logo screen printed in white.

S-XL \$10



Sea Fox Brushed Heavy Cotton Hat

Low profile structured hat available in stone with black trim and embroidery or navy with white trim and embroidery.

\$14



Sea Fox Visor

HYP enzyme-washed visor with velcro enclosure. 100% cotton available in sky with navy embroidery or stone with black embroidery.

\$12



Sea Fox Koozie Six Pack

Six collapsible can coolers. Available in black with silver imprint.

\$11





Sea Fox Boat Company, Inc.

2550 Highway 52, Moncks Corner, South Carolina 29461-5024
Telephone (843) 761-6090 Fax (843) 761-6139
www.seafoxboats.com seafox@seafoxboats.com