


MODEL	STANDARD DANFORTH STYLE MAX DIMENSIONS				
	ANCHOR LOCKER		W/ ANCHOR ROLLER (OPTIONAL)		RECOMMENDED SIZE
	(A) LENGTH	(B) WIDTH	(A) LENGTH	(B) WIDTH	
180 VIPER	24"	21"	NA	NA	5-9 LBS
200 VIPER	24"	21"	NA	NA	5-9 LBS
220 VIPER	24"	21"	NA	NA	8-14 LBS
240 VIPER	24"	22"	NA	NA	9-14 LBS
186 COMMANDER	24"	21"	24"	NO RESTRICTION	5-9 LBS
206 COMMANDER	24"	21"	24"	NO RESTRICTION	5-9 LBS
228 COMMNADER	NO ANCHOR ROLLER		24"	NO RESTRICTION	9-14 LBS
248 COMMNADER	ANCHOR ROLLER NO WINDLASS		18"/ (SEE WINDLASS)	NO RESTRICTION	9-14 LBS
228 /248 COMMNADER	ANCHOR ROLLER STD W/OPTIONAL WINDLASS		18"/ (SEE WINDLASS)	NO RESTRICTION	8 LBS
266 COMMNADER	ANCHOR ROLLER STD W/OPTIONAL WINDLASS		18"	NO RESTRICTION	14 LBS
288 COMMANDER	ANCHOR ROLLER STANDARD W/ WINDLASS		18"	NO RESTRICTION	14 LBS
328 COMMANDER	ANCHOR ROLLER STANDARD W/ WINDLASS		24"	WILL NOT FIT	SEE PLOW
368 COMMANDER	ANCHOR ROLLER STANDARD W/ WINDLASS		24"	WILL NOT FIT	SEE PLOW
226 TRAVELER	27"	22"	27"	NO RESTRICTION	9-14 LBS
249 AVENGER	27"	22"	27"	NO RESTRICTION	9-14 LBS



NOTE: SIZE, WEIGHT AND RECOMMENDED BOAT SIZE VERY FROM MANUFACTURERS.
 USE THE ABOVE CHART TO INSURE YOU DO NOT HAVE SIZING ISSUES BEFOR PURCHASING.





MODEL	STANDARD PLOW STYLE MAX DIMENSIONS				RECOMMENDED SIZE
	ANCHOR LOCKER		W/ ANCHOR ROLLER (OPTIONAL)		
	(A) LENGTH	(B) WIDTH	(D) LENGTH	(B) WIDTH	
180 VIPER	WILL NOT STORE	WILL NOT STORE	NA	NA	9 LBS
200 VIPER	WILL NOT STORE	WILL NOT STORE	NA	NA	9 LBS
220 VIPER	WILL NOT STORE	WILL NOT STORE	NA	NA	13 LBS
240 VIPER	WILL NOT STORE	WILL NOT STORE	NA	NA	13 LBS
186 COMMANDER	WILL NOT STORE	WILL NOT STORE	24"	NO RESTRICTION	9 LBS
206 COMMANDER	WILL NOT STORE	WILL NOT STORE	24"	NO RESTRICTION	9 LBS
228 COMMANDER	WILL NOT FIT, SEE DANFORTH/ WINDLASS				
248 COMMANDER	WILL NOT FIT, SEE DANFORTH/ WINDLASS				
248 COMMNADER	ANCHOR ROLLER W/OPTIONAL WINDLASS		NA	DOES NOT FIT	NA
268 COMMNADER	ANCHOR ROLLER STANDARD		22"	NO RESTRICTION	13 LBS
268 COMMNADER	ANCHOR ROLLER W/OPTIONAL WINDLASS		18"	NO RESTRICTION	13 LBS
288 COMMANDER	ANCHOR ROLLER STANDARD W/ WINDLASS		18"	NO RESTRICTION	22 LBS
328 COMMANDER	ANCHOR ROLLER STANDARD W/ WINDLASS		22"	NO RESTRICTION	22 LBS
368 COMMANDER	ANCHOR ROLLER STANDARD W/ WINDLASS		22"	NO RESTRICTION	22 LBS
226 TRAVELER	27"	22"	27"	NO RESTRICTION	9-14 LBS
249 AVENGER	27"	22"	27"	NO RESTRICTION	9-14 LBS

NOTE: SIZE, WEIGHT AND RECOMMENDED BOAT SIZE VERY FROM MANUFACTURERS.
USE THE ABOVE CHART TO INSURE YOU DO NOT HAVE SIZING ISSUES BEFOR PURCHASING.



SEAFOX TESTED/ APPROVED ANCHORS, RODE AND CHAIN

MODEL	WINDLASS	ANCHOR			PART #	SWIVAL #	PART #	RODE SIZE	CHAIN	RODE AND CHAIN PART #	SEAFOX KIT#	
		MFG	TYPE	SIZE LBS.								
368 CC	HRCFF-8	MAXWELL	PLOW	22 LBS.	P105056	SS 6-8MM	P104370	200' X 5/8 8 PLAIT W/SHK	15' X5/16 G4	RODE53	KIT #2	
328 CC	HRCFF-8	MAXWELL	PLOW	22 LBS.	P105056	SS 6-8MM	P104370	200' X 5/8 8 PLAIT W/SHK	15' X5/16 G4	RODE53	KIT #2	
288 CC	HRCFF-8	MAXWELL	PLOW	22 LBS.	P105056	SS 6-8MM	P104370	200' X 5/8 8 PLAIT W/SHK	15' X5/16 G4	RODE53	KIT #2	
268 CC	HRCFF-6	MAXWELL	PLOW	13 LBS.	P105055	SS 6-8MM	P104370	150' 1/2" 8PLT w/SHKL	15' X 1/4 G4	RODE38	KIT #3	
228 CC	HRCFF-6	MAXWELL	PLOW	13 LBS.	P105055	SS 6-8MM	P104370	150' 1/2" 8PLT w/SHKL	15' X 1/4 G4	RODE38	KIT #3	
248 CC	HRCFF-6	MAXWELL	PLOW	13 LBS.	P105055	SS 6-8MM	P104370	150' 1/2" 8PLT w/SHKL	15' X 1/4 G4	RODE38	KIT #3	
249 AV	RC6	SEE CHART					SS 6-8MM	P104370	150' 1/2" 8PLT w/SHKL	15' X 1/4 G4	RODE38	KIT #3
226 DC	RC6	SEE CHART					SS 6-8MM	P104370	150' 1/2" 8PLT w/SHKL	15' X 1/4 G4	RODE38	KIT #3