



Owner's Manual Supplement

www.SeaFoxBoats.com

SEA FOX BOAT'S DISCLAIMER

The following Owner's Manual is provided for information and educational purposes only and is not intended to offer or provide legal advice or create a contractual relationship between Sea Fox Boat Company and the owner of any Sea Fox brand vessel. Please beware that as a vessel owner you have non-delegable responsibilities regarding the safety, maintenance, fitness, and operation of your vessel and the extent of such responsibilities is ultimately determined by Federal law and regulations, the general maritime law of the United States, the laws and regulations of the states and territories of the United States, or the laws and regulations of the country where you operate your vessel. To fully understand your responsibilities as a vessel owner, and before operating or letting any third-party operate your vessel, we recommend that you consult the services of a qualified lawyer in admiralty and maritime law.

TABLE OF CONTENTS

Introduction	3	Trimtabs Electrical Switch Standard (P/N 2895) – Optional	20
Specifications	3	Trimtabs Electrical Switch Standard (P/N 2895) – Optional	
Designated Occupant Seating	4	(continued)	21
Plumbing Schematics	5	Harness Mood Light w/Deutsch (P/N 6128) – Optional	22
Commander Drains	5	Harness Stereo Infinity Con (P/N 6129) – Optional.	23
Commander Electric Head System	6	Harness Stereo Infinity Deck (P/N 6130) – Optional.	24
Commander Fresh Water System	7	Harness Underwater Light w/Deutsch (P/N 6133) –	
Commander Fuel System	8	Optional	25
Commander Livewell System	9	Windlass Cable Set Deck (P/N 6135) – Optional	26
Commander Raw Water System	10	Head Panel Switch ORB (P/N 6136) – Optional	27
Commander Overboard Discharge System	11	U Panel Switch Ultima (P/N 6463) – Optional.	28
Commander Bilge System.	12	Center Console Ultima Top - 2016 (P/N 6463, 6464 and	
Electrical Schematics	13	6476) – Optional	29
Typical 2-Battery Setup in Console.	13	Kicker 8-Speaker Stereo Adapter Harness (P/N 6851) –	
Panel Switch Shroud (P/N 6512).	14	Optional	30
Harness ACC w/ Lenco Deutsch (P/N 6593).	15	Harness Deck Speaker w/LED (P/N 6852) – Optional	31
Harness Nav Short.	16	Panel (P/N 6861) – Optional	32
Windlass Cable Set - Hull	17	Electric Flush Switch Panel (P/N 6870) – Optional	33
Panel	18	Harness Electric Toilet and Discharge – Orbital Toilet	
Kicker Only 6-Speaker Harness	19	(P/N 6874) – Optional	34



This Page Intentionally Left Blank

INTRODUCTION

Congratulations and Welcome Aboard! With so many boat brands to choose from, we want to congratulate you on your decision to choose Sea Fox Boats. For more than 24 years, Sea Fox offers the finest hand-crafted saltwater boats carefully balanced with the build-quality, features, styling and performance for the fairest price. Our passion for boating is evident in every model we make and we appreciate that you've noticed the Sea Fox difference.

We share your love for the moments spent on the water with friends and family, which is why every Sea Fox boat offers a unique blend of fishing/family options, technologies and innovative features. Your choice of a Sea Fox affirms that you have performed your research and compared the value of your model with the competition.

Whether you are new to the boating lifestyle or an old salt, we ask that **you and all other operators** read the owner's manual, this supplement, and all other literature provided with the boat **before** operating the boat or any equipment. We also recommend that all operators enroll in a boating safety course available online - see References and Contact Information in this section for education resources online.

This supplement contains model-specific information not included with the owner's manual. This manual is not intended to be a replacement for specific product literature provided by engine, accessory or other major equipment manufacturers, but rather to supplement that information.

Because of our philosophy of continuous product improvement, this manual serves as a general guide only, so the specifications and illustrations used may not match the equipment on your boat and are intended only as general reference views.


We welcome you to the Sea Fox family and wish you many years of boating enjoyment!

SPECIFICATIONS

Max. Weight Capacity	2200 lbs (998 kg)
Persons	8
Persons Weight	1200 lbs (544 kg)
Max. HP	250 hp (186 kw)
L.O.A.	22' 4" (6.81 m)
Beam	8' 6" (2.59 m)
Draft	14 in. (0.36 m)
Height, Keel to Top (Light Folded)	115 in. (2.92 m)
Bridge Clearance Hard Top	99 in. (2.51 m)
Max. Weight Boat (w/ Fluids, Largest HP)	4508 lbs (2045 kg)
Fuel Tank Capacity	90 gal (341 L)
Freshwater Tank Capacity	12 gal (45 L)
Holding Tank Capacity	12 gal (45 L)

DESIGNATED OCCUPANT SEATING


Be sure all passengers are properly seated in designated seating positions and not riding on the bow, bow pulpit, deck, gunwale or rear sun deck while underway. Passengers must use hand-holds and use caution when riding in the bow. Move to the aft passenger seats during rough water operation or if visibility is restricted.



SFOX-0018


PLUMBING SCHEMATICS

COMMANDER DRAINS







COMMANDER ELECTRIC HEAD SYSTEM



COMMANDER FRESH WATER SYSTEM



COMMANDER FUEL SYSTEM



COMMANDER LIVEWELL SYSTEM

NEW LIVEWELL DRAIN
1 $\frac{1}{8}$ "-1 $\frac{1}{8}$ " GEM ADAPTER

Ø1 $\frac{1}{8}$ " TO HULL SIDE

Ø1 $\frac{1}{8}$ " DRAIN TO HULL SIDE

TO LIVEWELL FILL
ON DECK

BATIWELL PUMP
Ø $\frac{3}{4}$ "

Ø $\frac{3}{4}$ " THRU HULL
BRASS SCOOP


Ø $\frac{3}{4}$ " NYLON
BALL VALVE

NOTES	
ZONE	DESCRIPTION

REV	DESCRIPTION	DATE	BY
REVISIONS			
2000 HWY 92 MOORE CORP., P.O. BOX 1 UNITED STATES OF AMERICA			
PHONE: +845.761.6800 FAX: +845.761.6800 EMAIL: commander@seafox.com This drawing is the property of SeaFox Boats and must not be used, reproduced or modified in any way without prior written permission. All Rights Reserved			
			
228 COMMANDER LIVEWELL			
DRAWING NO. #			
DATE	SCALE	NTS	IN 1 OF 1
7/18/18			

COMMANDER RAW WATER SYSTEM


RAW WATER
PULL OUT
WASHDOWN



TO PULL OUT
SHOWER ON DECK

RAW WATER
PUMP

PICKUP FROM
LIVEWELL PUMP




NOTES	
ZONE	DESCRIPTION

REV	DESCRIPTION	DATE	BY
REVISIONS			
DESIGNED BY: SEAFOX DRAWN BY: SEAFOX CHECKED BY: SEAFOX APPROVED BY: SEAFOX			
THIS DRAWING IS THE PROPERTY OF SEAFOX BOATS, INC. AND IS NOT TO BE REPRODUCED OR COPIED IN ANY MANNER WITHOUT THE WRITTEN PERMISSION OF SEAFOX BOATS, INC.			
			
228 COMMANDER RAW WATER WATER			
DATE: 7/16/18 DRAWN: NTS IN: 1 of 1			





COMMANDER BILGE SYSTEM




NOTES	
ZONE	DESCRIPTION

REV	DESCRIPTION	DATE	BY
REVISIONS			
1000 HWY 32 MOORE CORP., P.O. BOX 1 UNITED STATES OF AMERICA			
PHONE: +843.761.0000 EMAIL: info@seafox.com WWW: www.seafox.com			
This drawing is the property of SeaFox and shall not be used, reproduced or modified in any way without prior written permission. All Rights Reserved.			
228 COMMANDER BILGE SYSTEM			
SHEET NO.		#	
DATE 7/18/18		DRAW NTS	
OF 1		OF 1	

ELECTRICAL SCHEMATICS


TYPICAL 2-BATTERY SETUP IN CONSOLE






SFX-226-462-B: ADD 14G BRN/WHT #7 TO SWITCH ACC #4

HARNESS ACC W/ Lenco DEUTSCH (P/N 6593)




HARNESS NAV SHORT




Harness, NAV-SHORT- NEW#

est-7-18-16


WINDLASS CABLE SET - HULL




PANEL



KICKER ONLY 6-SPEAKER HARNESS



TRIMTABS ELECTRICAL SWITCH STANDARD (P/N 2895) – OPTIONAL




NOTE: BACK VIEW

SEAFOX PT# 2895


ULTRA PANEL MARINE INC			
DRN BY: MAGALY H.	 6891 N.W. 73rd COURT Miami, FL. 33166 Ph. 305-888-7709 Fax 305-888-7285		
CHECK BY:			
SHEET: 1 OF 1			
DATE DRAWN: 12-11-2015	SCALE:	DWG No. SFX 270-17	REVISION:

TRIMTABS ELECTRICAL SWITCH STANDARD (P/N 2895) – OPTIONAL (CONTINUED)






HARNESS MOOD LIGHT W/DEUTSCH (P/N 6128) – OPTIONAL



HARNESS STEREO INFINITY CON (P/N 6129) – OPTIONAL

CUSTOMER SEAFOX BOAT CO.
 PART # 6129 UPM# SFX-300-09
 FILENAME _____

W/O # _____
 DUE DATE _____
 MODEL ALL MODELS
 DESCRIPTION HARNESS STEREO INFINITY/JENSEN





HARNESS STEREO INFINITY DECK (P/N 6130) – OPTIONAL

CUSTOMER SEAFOX BOAT CO.

PART # 6130 UPM# SFX-300-04

FILENAME _____

W/O # _____

DUE DATE _____

MODEL ALL MODELS

DESCRIPTION HARNESS DECK INFINTY STEREO

NOTES:

 = NON-INS 1/4" FEM. QUICK CONNECTOR
W/ DBL-WALL SHRINK

LABEL "REAR LEFT"

16Ga GREEN
16Ga GRN/BLK



120

LABEL "FRONT LEFT"

16Ga WHITE
16Ga WHT/BLK




160

48

24

B



B - 12WAY ML-II PLUG

1	----
2	----
3	16Ga GREEN
4	16Ga GRN/BLK
5	16Ga GRAY
6	16Ga GRY/BLK
7	16Ga PURPLE
8	16Ga PUR/BLK
9	----
10	16Ga WHITE
11	16Ga WHT/BLK
12	----

LABEL "FRONT RIGHT"

16Ga GRAY
16Ga GRY/BLK



160

72


LABEL "REAR RIGHT"

16Ga PURPLE
16Ga PUR/BLK




120

HARNESS UNDERWATER LIGHT W/DEUTSCH (P/N 6133) – OPTIONAL






WINDLASS CABLE SET DECK (P/N 6135) – OPTIONAL



HEAD PANEL SWITCH ORB (P/N 6136) – OPTIONAL



ASSEMBLY NOTE:
Inject every push-on connector
with dielectric grease prior to
attachment to switch.

Quantity	648-ALUMINUM - 6061-T6 ALUMINUM	
	Material	
Work Order Number	ELECTRIC FLUSH-DISCHARGE SWITCH PANEL - WHITE- BLACK LETTERS	
	File Number SFX300-14	
	SEAFOX BOAT COMPANY	
Due Date	07-28-15	
	Faceplate Number	Panel Number


SEAFOX PT# 6136

U PANEL SWITCH ULTIMA (P/N 6463) – OPTIONAL


SEAFOX PT# 6463
UPM PT# SFX-600-40

3 OF 3


"J"-FROM SWITCH PANEL



8WAY DEUTSCH DT RECEPTACLE
CONNECTOR 54-0802-008 (DT04-8PA)
WEDGE LOCK 54-0801-009 (W8P)



SHIP WITH SWP ASSEMBLY:
081401002 (8) SHOULDER WASHER
IN 4 X 4 PLASTIC BAG





KICKER 8-SPEAKER STEREO ADAPTER HARNESS (P/N 6851) – OPTIONAL

NOTES:

(1) SPLICE CONNECTION IS
SOLDER DIPPED AND INSULATED
WITH ADHESIVE-LINED HEAT-SHRINK

TERMINAL LEGEND:

 = ADHESIVE-LINED CRIMP CONNECTOR

 = NON-INS 1/4" FEM. QUICK CONNECTOR
W/ DBL-WALL SHRINK

 = NON-INS 0.205" FEM. QUICK CONNECTOR
W/ DBL-WALL SHRINK

 = #8 SNAP SPADE W/ DBL-WALL SHRINK

 = 0.156 NON-INS MALE W/ BLUE INSULATOR

 = 0.156 NON-INS FEMALE W/ BLUE INSULATOR


 = RING TERMINAL W/ ADHESIVE-LINED SHRINK OR
SOLDER DIPPED AND ADHESIVE-LINED SHRUNK

(3) " " = TAGGING TEXT

B - 12WAY ML-II PLUG

1	----
2	----
3	16Ga GREEN
4	16Ga GRN/BLK
5	16Ga GRAY
6	16Ga GRY/BLK
7	16Ga PURPLE
8	16Ga PUR/BLK
9	----
10	16Ga WHITE
11	16Ga WHI/BLK
12	----

TO- ULTIMA TOP HARNESS



ATTACH THERMAL LABEL STEREOC.QDF
TO THIS LEAD AS SHOWN!

ACCESSORY FUSEBLOCK
14Ga RED #10 3"

ACCESSORY FUSEBLOCK
14Ga YELLOW (TAG "STERO") #10 3"

SEAFXQX PT# 6851

ATTACH THERMAL LABEL STEREOB.QDF
TO THIS LEAD AS SHOWN!

MAXXIMA SOFT-WIRE
DIPLOLE ANTENNA
#: CSA-MAR-01

10"

6"

6"

6"

24"



6891 N.W. 73rd COURT
Miami, FL 33166
Ph. 305-888-7709
Fax 305-888-7285

A - 12WAY ML-II CAP

1	14Ga RED
2	16Ga WHI/BLK
3	16Ga WHITE
4	BLANK
5	16Ga GRY/BLK
6	16Ga GRAY
7	BLANK
8	16Ga GRN/BLK
9	16Ga GREEN
10	14Ga BLACK
11	16Ga PUR/BLK
12	16Ga PURPLE

TO- DECK HARNESS

B - 12WAY ML-II PLUG

1	----
2	----
3	16Ga GREEN
4	16Ga GRN/BLK
5	16Ga GRAY
6	16Ga GRY/BLK
7	16Ga PURPLE
8	16Ga PUR/BLK
9	----
10	16Ga WHITE
11	16Ga WHI/BLK
12	----

SEA FOX SFX-818-016

TITLE

KICKER 8-SPEAKER
STEREO ADAPTER HARNESS

SIZE

CAGE CODE DWG NO

REV

SCALE

SHEET

HARNESS DECK SPEAKER W/LED (P/N 6852) – OPTIONAL

CUSTOMER SEAFOX BOAT CO.

PART # SF# 6852-UPM# SFX-489-13

FILENAME _____

W/O # _____


DUE DATE _____

MODEL ALL CENTER CONSOLES

DESCRIPTION HARNESS DECK SPEAKER W/LED


NOTES:

-  = NON-INS 1/4" FEM. QUICK CONNECTOR W/ DBL-WALL SHRINK
-  = NON-INS BUTT CONNECTOR W/ DBL-WALL SHRINK





ELECTRIC FLUSH SWITCH PANEL (P/N 6870) – OPTIONAL



1. 12GA ORANGE #1
2. 12GA ORANGE #2

MATCH CONNECTORS TO NEW
256CC/WA HARNESS

NOTES:


- (1) PAINT TEXTURED BLACK
- (2) SCREEN WHITE

ASSEMBLY NOTE:
Inject every push-on connector
with dielectric grease prior to
attachment to switch.

SF# 6870 UPM# SFX-028-11

Quantity	648-ALUMINUM - 6061-T6 ALUMINUM	
	Material	
Work Order Number	ELECTRIC FLUSH SWITCH PANEL - BLACK- WHITE LETTERS	
	File Number	
	SEAFOX BOAT COMPANY	
Due Date	07-28-15	
	Faceplate Number	Panel Number

HARNESS ELECTRIC TOILET AND DISCHARGE – ORBITAL TOILET (P/N 6874) – OPTIONAL



This Page Intentionally Left Blank



This Page Intentionally Left Blank



Sea Fox Boat Company, Inc.
2550 Highway 52
Moncks Corner, SC 29461-5024

Telephone: 843-761-6090
www.seafoxboats.com

Ken Cook Co.
Printed in U.S.A.
Rev 0819