



# Owner's Manual Supplement

[www.SeaFoxBoats.com](http://www.SeaFoxBoats.com)

## **SEA FOX BOAT'S DISCLAIMER**

The following Owner's Manual is provided for information and educational purposes only and is not intended to offer or provide legal advice or create a contractual relationship between Sea Fox Boat Company and the owner of any Sea Fox brand vessel. Please beware that as a vessel owner you have non-delegable responsibilities regarding the safety, maintenance, fitness, and operation of your vessel and the extent of such responsibilities is ultimately determined by Federal law and regulations, the general maritime law of the United States, the laws and regulations of the states and territories of the United States, or the laws and regulations of the country where you operate your vessel. To fully understand your responsibilities as a vessel owner, and before operating or letting any third-party operate your vessel, we recommend that you consult the services of a qualified lawyer in admiralty and maritime law.

# TABLE OF CONTENTS

Introduction . . . . .	3	Harness Main 180-200-186-206 (P/N 6119) . . . . .	13
Specifications . . . . .	3	Panel Switch Shroud (P/N 6567) . . . . .	14
Designated Occupant Seating . . . . .	4	Harness Nav Short . . . . .	15
Plumbing Schematics . . . . .	5	Trimtabs Electrical Switch Standard (P/N 2895) – Optional . . . . .	16
Commander Bilge System . . . . .	5	Harness Mood Light w/Deutsch (P/N 6128) – Optional . . . . .	17
Commander Drains . . . . .	6	Harness Stereo Infinity Con (P/N 6129) – Optional . . . . .	18
Commander Fresh Water System . . . . .	7	Harness Stereo Infinity Deck (P/N 6130) – Optional . . . . .	19
Commander Fuel System . . . . .	8	Harness Underwater Light w/Deutsch (P/N 6133) – Optional . . . . .	20
Commander Forward Livewell System . . . . .	9	Harness Trimtab Electric 20 ft Lenco (P/N 6564) – Optional . . . . .	21
Commander Raw Water System . . . . .	10	Panel Switch Shroud (P/N 6860) – Optional . . . . .	22
Commander Stern Livewell System . . . . .	11	Harness Top 186/206 Only (P/N 6920) – Optional . . . . .	23
Electrical Schematics . . . . .	12		
Typical 2-Battery Setup in Console . . . . .	12		

This Page Intentionally Left Blank

## INTRODUCTION

**Congratulations and Welcome Aboard!** With so many boat brands to choose from, we want to congratulate you on your decision to choose Sea Fox Boats. For more than 24 years, Sea Fox offers the finest hand-crafted saltwater boats carefully balanced with the build-quality, features, styling and performance for the fairest price. Our passion for boating is evident in every model we make and we appreciate that you've noticed the Sea Fox difference.

We share your love for the moments spent on the water with friends and family, which is why every Sea Fox boat offers a unique blend of fishing/family options, technologies and innovative features. Your choice of a Sea Fox affirms that you have performed your research and compared the value of your model with the competition.

Whether you are new to the boating lifestyle or an old salt, we ask that **you and all other operators** read the owner's manual, this supplement, and all other literature provided with the boat **before** operating the boat or any equipment. We also recommend that all operators enroll in a boating safety course available online - see References and Contact Information in this section for education resources online.

This supplement contains model-specific information not included with the owner's manual. This manual is not intended to be a replacement for specific product literature provided by engine, accessory or other major equipment manufacturers, but rather to supplement that information.

Because of our philosophy of continuous product improvement, this manual serves as a general guide only, so the specifications and illustrations used may not match the equipment on your boat and are intended only as general reference views.

*We welcome you to the Sea Fox family and wish you many years of boating enjoyment!*


## SPECIFICATIONS

Max. Weight Capacity	1600 lbs (762 kg)
Persons	7
Persons Weight	900 lbs (408 kg)
Max. HP	150 hp (112 kw)
L.O.A.	18' 4" (5.58 m)
Beam	8' (2.44 m)
Draft	14 in. (0.36 m)
Height, Keel to Top (Light Folded)	99 in. (2.51 m)
Bridge Clearance Hard Top	85 in. (2.16 m)
Max. Weight Boat (w/ Fluids, Largest HP)	3382 lbs (1534 kg)
Fuel Tank Capacity	52 gal (197 L)
Freshwater Tank Capacity	6 gal (23 L)
Holding Tank Capacity	N/A



## DESIGNATED OCCUPANT SEATING

Be sure all passengers are properly seated in designated seating positions and not riding on the bow, bow pulpit, deck, gunwale or rear sun deck while underway. Passengers must use hand-holds and use caution when riding in the bow. Move to the aft passenger seats during rough water operation or if visibility is restricted.




● = Seat position


SFOX-0016

# PLUMBING SCHEMATICS

## COMMANDER BILGE SYSTEM



# COMMANDER DRAINS



NOTES	
ZONE	DESCRIPTION

REV	DESCRIPTION	DATE	BY

REVISIONS

3500 HWY 52 PHONE: +663.761.6000  
 SUVAE, COOKES, PO. BOX 11 ENRIE, WESTVALE, WESTVALE, WESTVALE  
 UNITED STATES OF AMERICA


THIS DRAWING IS THE PROPERTY OF SEAFOX BOATS. IT IS TO BE USED ONLY FOR THE PURPOSES SPECIFIED AND IS NOT TO BE REPRODUCED OR TRANSMITTED IN ANY FORM OR BY ANY MEANS, ELECTRONIC OR MECHANICAL, INCLUDING PHOTOCOPYING, RECORDING, OR BY ANY INFORMATION STORAGE AND RETRIEVAL SYSTEM.

**SEAFOX**

**186 COMMANDER DRAINS**

DATE: 4/01/15    SCALE: NTS    SHEET: 1 OF 1

# COMMANDER FRESH WATER SYSTEM



NOTES	
ZONE	DESCRIPTION

REV	DESCRIPTION	DATE	BY

REVISIONS

DESIGN BY: JERRY COOPER, FC SHOPS  
 DRAWN BY: JERRY COOPER, FC SHOPS  
 CHECKED BY: JERRY COOPER, FC SHOPS


THIS DRAWING IS THE PROPERTY OF SEAFOX BOATS AND SHALL NOT BE REPRODUCED OR TRANSMITTED IN ANY FORM OR BY ANY MEANS, ELECTRONIC OR MECHANICAL, WITHOUT PERMISSION.

**SEAFOX**

**186 COMMANDER FRESH WATER**

DATE: 4/01/15    SCALE: NTS    SHEET: 1 OF 1


COMMANDER FUEL SYSTEM



NOTES	
ZONE	DESCRIPTION

NEW FUEL TANKS REMOVE FUEL CAP 1" AND 1" HOSE			
REV	DESCRIPTION	DATE	BY
REVISIONS			
2000 HWY 52		PHONE: +843.761.6800	
MORRIS CORP., P.O. BOX 1		EMAIL: <a href="mailto:commander@seafox.com">commander@seafox.com</a>	
UNITED STATES OF AMERICA			
<small>This drawing is the property of SeaFox and must not be used, reproduced or modified in any way without prior written permission. All Rights Reserved.</small>			
<b>186 COMMANDER FUEL SYSTEM</b>			
<b>B</b>			
DATE	SCALE	INTS	IN 1 OF 1
4/01/15			

# COMMANDER FORWARD LIVEWELL SYSTEM



NOTES	
ZONE	DESCRIPTION

REV	DESCRIPTION	DATE	BY

REVISIONS

THIS COPY IS UNLESS OTHERWISE SPECIFIED  
 UNITED STATES OF AMERICA


PART NO. 186LW18600  
 DIMS. (DIMENSIONS)

THE DRAWING IS THE PROPERTY OF SEAFOX AND SHALL NOT BE REPRODUCED OR TRANSMITTED IN ANY FORM OR BY ANY MEANS, ELECTRONIC OR MECHANICAL, WITHOUT PERMISSION.


**186 COMMANDER**  
**FWD LIVEWELL**

DATE: 4/01/15    Scale: NTS    SHEET: 1 of 1

# COMMANDER RAW WATER SYSTEM



# COMMANDER STERN LIVEWELL SYSTEM



NOTES	
ZONE	DESCRIPTION

REV	DESCRIPTION	DATE	BY
	NEW THRU HULL FITTINGS	5/01/17	PY

REVISIONS

3500 HWY 52 PHONE: +843.761.6000  
 SAVANNAH, GA 30401 EMAIL: SALES@SEAFOX.COM  
 UNITED STATES OF AMERICA


**SEAFOX**

186 COMMANDER STERN LIVEWELL


DATE: 4/01/15    DRAWN: NTS    REV: A    PAGE: 1 OF 1

# ELECTRICAL SCHEMATICS


## TYPICAL 2-BATTERY SETUP IN CONSOLE




# HARNES MAIN 180-200-186-206 (P/N 6119)




PANEL SWITCH SHROUD (P/N 6567)




**HARNES NAV SHORT**



TRIMTABS ELECTRICAL SWITCH STANDARD (P/N 2895) – OPTIONAL



HARNESS MOOD LIGHT W/DEUTSCH (P/N 6128) – OPTIONAL



# HARNES STEREO INFINITY CON (P/N 6129) – OPTIONAL

CUSTOMER SEAFOX BOAT CO.  
 PART # 6129 UPM# SFX-300-09  
 FILENAME \_\_\_\_\_

W/O # \_\_\_\_\_  
 DUE DATE \_\_\_\_\_  
 MODEL ALL MODELS  
 DESCRIPTION HARNES STEREO INFINITY/JENSEN

- NOTES:  
 (1) SPLICE CONNECTION IS SOLDER DIPPED AND INSULATED WITH ADHESIVE-LINED HEAT-SHRINK  
 (2) TERMINAL LEGEND:  
 = ADHESIVE-LINED CRIMP CONNECTOR  
 = NON-INS 1/4" FEM. QUICK CONNECTOR W/ DBL-WALL SHRINK  
 = NON-INS 0.205" FEM. QUICK CONNECTOR W/ DBL-WALL SHRINK  
 = #8 SNAP SPADE W/ DBL-WALL SHRINK  
 = 0.156 NON-INS MALE W/ BLUE INSULATOR  
 = 0.156 NON-INS FEMALE W/ BLUE INSULATOR  
 = RING TERMINAL W/ ADHESIVE-LINED SHRINK OR SOLDER DIPPED AND ADHESIVE-LINED SHRUNK  
 (3) " " = TAGGING TEXT

ATTACH THERMAL LABEL STERJBL.QDF TO THIS LEAD AS SHOWN!


MAXXIMA SOFT-WIRE DIPOLE ANTENNA  
 #: CSA-MAR-01

Label only  
 no fuse holder

ATTACH THERMAL LABEL STEREOC.QDF TO THIS LEAD AS SHOWN!  
 ACCESSORY FUSEBLOCK  
 14Ga RED & 14Ga YELLOW/RED  
 #10 3"  
 ACCESSORY FUSEBLOCK  
 14Ga YELLOW (TAG "STERO")  
 #10 3"


A - 12WAY ML-II CAP

1	14Ga YELLOW
2	BLANK
3	16Ga GREEN
4	16Ga GRN/BLK
5	16Ga GRAY
6	16Ga GRY/BLK
7	16Ga PURPLE
8	16Ga PUR/BLK
9	14Ga RED
10	16Ga WHITE
11	16Ga WHT/BLK
12	BLANK



B - 12WAY ML-II PLUG

1	----
2	----
3	16Ga GREEN
4	16Ga GRN/BLK
5	16Ga GRAY
6	16Ga GRY/BLK
7	16Ga PURPLE
8	16Ga PUR/BLK
9	----
10	16Ga WHITE
11	16Ga WHT/BLK
12	----




### HARNES STEREO INFINITY DECK (P/N 6130) – OPTIONAL

CUSTOMER SEAFOX BOAT CO. W/O # \_\_\_\_\_  
 PART # 6130 UPM# SFX-300-04 DUE DATE \_\_\_\_\_  
 FILENAME \_\_\_\_\_ MODEL ALL MODELS  
 DESCRIPTION HARNES DECK INFINTY STEREO

**NOTES:**


 = NON-INS 1/4" FEM. QUICK CONNECTOR  
 W/ DBL-WALL SHRINK




B - 12WAY ML-II PLUG

1	----
2	----
3	16Ga GREEN
4	16Ga GRN/BLK
5	16Ga GRAY
6	16Ga GRY/BLK
7	16Ga PURPLE
8	16Ga PUR/BLK
9	----
10	16Ga WHITE
11	16Ga WHT/BLK
12	----


HARNES UNDERWATER LIGHT W/DEUTSCH (P/N 6133) – OPTIONAL




HARNESS TRIMTAB ELECTRIC 20 FT Lenco (P/N 6564) – OPTIONAL



PANEL SWITCH SHROUD (P/N 6860) – OPTIONAL



**HARNESS TOP 186/206 ONLY (P/N 6920) – OPTIONAL**





This Page Intentionally Left Blank

This Page Intentionally Left Blank



This Page Intentionally Left Blank

This Page Intentionally Left Blank



This Page Intentionally Left Blank





**Sea Fox Boat Company, Inc.**  
2550 Highway 52  
Moncks Corner, SC 29461-5024

Telephone: 843-761-6090  
[www.seafoxboats.com](http://www.seafoxboats.com)

Ken Cook Co.  
Printed in U.S.A.  
Rev 0819