

Owner's Manual Supplement

www.seafoxboats.com

SEA FOX BOAT'S DISCLAIMER

The following Owner's Manual is provided for information and educational purposes only and is not intended to offer or provide legal advice or create a contractual relationship between Sea Fox Boat Company and the owner of any Sea Fox brand vessel. Please beware that as a vessel owner you have non-delegable responsibilities regarding the safety, maintenance, fitness, and operation of your vessel and the extent of such responsibilities is ultimately determined by Federal law and regulations, the general maritime law of the United States, the laws and regulations of the states and territories of the United States, or the laws and regulations of the country where you operate your vessel. To fully understand your responsibilities as a vessel owner, and before operating or letting any third-party operate your vessel, we recommend that you consult the services of a qualified lawyer in admiralty and maritime law.



TABLE OF CONTENTS

| Introduction | Electrical Schematics | 13 |
|------------------------------|---------------------------|----|
| Specifications | Main Harness | 13 |
| Designated Occupant Seating4 | Switch Panel | 14 |
| Safety Decals5 | Breaker Panel | 15 |
| Plumbing Schematics | Deck Harness | 16 |
| Fuel System7 | Top Harness | 17 |
| Bilge System | Underwater Lights Harness | 18 |
| Fresh Water System9 | Trolling Motor Harness | 19 |
| Raw Water System | Battery Wiring | 20 |
| Deck Drains | | |
| Livewell System12 | | |
| | | |



This Page Intentionally Left Blank



INTRODUCTION

Congratulations and Welcome Aboard! With so many boat brands to choose from, we want to congratulate you on your decision to choose Sea Fox Boats. For more than 28 years, Sea Fox offers the finest hand-crafted saltwater boats carefully balanced with the build-quality, features, styling and performance for the fairest price. Our passion for boating is evident in every model we make and we appreciate that you've noticed the Sea Fox difference.

We share your love for the moments spent on the water with friends and family, which is why every Sea Fox boat offers a unique blend of fishing/family options, technologies and innovative features. Your choice of a Sea Fox affirms that you have performed your research and compared the value of your model with the competition.

Whether you are new to the boating lifestyle or an old salt, we ask that **you and all other operators** read the owner's manual, this supplement, and all other literature provided with the boat **before** operating the boat or any equipment. We also recommend that all operators enroll in a boating safety course available online - see References and Contact Information in this section for education resources online.

This supplement contains model-specific information not included with the owner's manual. This manual is not intended to be a replacement for specific product literature provided by engine, accessory or other major equipment manufacturers, but rather to supplement that information.

Because of our philosophy of continuous product improvement, this manual serves as a general guide only, so the specifications and illustrations used may not match the equipment on your boat and are intended only as general reference views.

We welcome you to the Sea Fox family and wish you many years of boating enjoyment!


SPECIFICATIONS

| Max. Weight Capacity | 2,100 lbs (952 kg) | | |
|---|----------------------|--|--|
| Persons | 8 | | |
| Persons Weight | 1,130 lbs (512 kg) | | |
| Max. HP | 250 hp (167 kw) | | |
| L.O.A. | 22' 4" (6.8 m) | | |
| Beam | 8' 6" (2.59 m) | | |
| Draft | 14 in. (0.36 m) | | |
| Height, Keel to Top (Light Folded) | 107 in. (2.72 m) | | |
| Bridge Clearance Hard Top | 93 in. (2.36 m) | | |
| Max. Weight Boat (w/ Fluids, Largest HP) | 3,962 lbs (1,797 kg) | | |
| Fuel Tank Capacity | 54 gal (204 L) | | |
| Freshwater Tank Capacity | 6 gal (23 L) | | |
| Holding Tank Capacity | N/A | | |
| | | | |



DESIGNATED OCCUPANT SEATING

Be sure all passengers are properly seated in designated seating positions and not riding on the bow, bow pulpit, deck, gunwale or rear sun deck while underway. Passengers must use hand-holds and use caution when riding in the bow. Move to the aft passenger seats during rough water operation or if visibility is restricted.



SFOX-0014



WARNING

AVOID SERIOUS INJURY OR DEATH. OCCUPANT MAY FALL OR BE EJECTED FROM

SEAT. DO NOT OCCUPY SEAT WHEN SPEED

A DANGER

WATER

MAXIMUM CAPACITIES

R PERSONS OR 1130 LBS.

SAFETY DECALS



NOTICE

THIS BOAT IS EQUIPPED WITH

AN OPTIONAL DIRECT OVERBOARD

DISCHARGE VALVE. DISCHARGING

A WARNING

Moving parts can crush and cut Keep hands clear while operating bracket. U36076-01

Moving parts can crush and cut.

Keep hands clear while operating bracket. U35075-01

loving parts can crush and cut.

Keep hands clear while operating bracket. U36076-01

WARNING

Operating, servicing and maintaining a recreational marine vessel car expose you to chemicals including engine exhaust, carbon monoxide,

phthalates, and lead, which are known to the State of California to caus printerlates, and easy, which are known to die state to Cantonia to clause cancer and birth defects or other reproductive harm. To minimize exposura avoid breathing exhaust, service your vessel in a well-ventilated area and wear gloves or wash your hands frequently when servicing this vessel. For more information go to www.P65warnings.ca.gov/marine.

A WARNING

consciousness.

CARBON MONOXIDE (CO) CAN CAUSE BRAIN

Carbon monoxide can be present in the cabin.

MOVE TO FRESH AIR if anyone shows signs

Signs of carbon monoxide poisoning include nausea, headache, dizziness, drowsiness, and lack of

USE AVAILABLE HANDRAILS AND HANDHOLDS

RAW WATER



4

Manufactured by **SERMFOX BOAT WORKS**

A WARNING

CAUTION: BEFORE TRIMMING THE ENGINE INTO THE LOCK/UP POSITION, JACKPLATE MUST BE ELEVATED 3". FAILURE TO FOLLOW THIS PROCEDURE MAY RESULT IN DAMAGE TO ENGINE/BOAT

EXCEEDS 5 MPH. (5)



Avoid serious injury or death from fire or explosion from leaking fuel. Inspect system for leaks at least once a year

ROTATING PROPELLER CAN

CAUSE SERIOUS INJURY OF

DEATH, SHUT OFF MOTOR

WHEN NEAR PERSONS IN

WARNING

AVOID SERIOUS INJURY OR DEATH.



BEHIND ACCESS PANEL. CLOSE VALVE(S) WHEN NOT IN USE.

(1)WARNING

Failure to follow these warnings could cause SERIOUS INJURY or DEATH





- REFER TO AND OBEY THE DESIGNATED OCCUPANT SEATING POSITIONS that are indicated by the manufacturer for your specific model
- OBEY THE OPERATOR at all times. DO NOT RESTRICT THE OPERATOR'S VISION.
- DO NOT DEPART THE VESSEL without informing the operator.

WARNING 2100 LBS, PERSONS, MOTOR, GEAR 250 H.P. MOTOR

(6)

(4)

(4)

THIS BOAT COMPLIES WITH THE U.S. COAST GUARD SAFETY STANDARDS IN EFFECT ON THE DATE OF CERTIFICATION SEA FOX BOAT COMPANY, INC.

MONCKS CORNER, S.C.

KS5A

A WARNING

WEAR SAFETY LANYARD at all times while operating

NEVER OPERATE WHILE UNDER THE INFLUENCE

DO NOT OVERLOAD THE BOAT. ENSURE THAT WEIGHT IS PROPERLY

AND EVENLY DISTRIBUTED fore and aft and on both sides of the boat to avoid poor handling sudden loss of control, swamping and/or capsizing PASSENGERS SHOULD WEAR U.S. COAST GUARD APPROVED LIFE

JACKETS. MAKE SURE THAT ALL PASSENGERS ARE PROPERLY SEATED WHILE UNDERWAY. To avoid

passengers falling overboard or being ejected from the boat, do not allow passengers to sit on seat backs, gunwales or outermost deck edges while boat is moving

REDUCE SPEED BEFORE ATTEMPTING SUDDEN OR SHARP TURNS, AND MAINTAIN SAFE SPEEDS for water conditions and environment at all times. Maneuverability at high speeds is limited, and sudden turns may caus loss of boat control.

KEEP PROPER LOOKOUT AND SAFE DISTANCE

OBEY APPLICABLE NAVIGATION RULES

USE CAUTION AND PROPER LIGHTING during nighttime boating and

 READ THE OWNER'S MANUAL AND COMPLETE THE BOATER'S PRE-OPERATION CHECKLIST prior to boat operation

230263 231 Bay Fox Decal Kit Rev 3

OF SEWAGE DIRECTLY OVERBOARD (1) IS FOR USE WHERE APPROVED ONLY.

(5)

WARNING:

A CAUTION

TO AVOID DAMAGE TO ENGINE

LOWER SEAT BACK REST

BEFORE TRIMMING ENGINE IN

TRAILERING POSITION.

OCCUPANT MAY FALL OR BE EJECTED FROM SEAT DO NOT OCCUPY SEAT WHEN SPEED EXCEEDS 5 MPH.

A WARNING

AVOID PERSONAL INJURY SECURE GATE/DOOR & DO NOT BE OUTSIDE GATE/DOOR WHEN BOAT IS UNDERWAY.

BATTERY CHARGER



WARNING

CONTENTS CAN BE LINDER PRESSURE AVOID SERIOUS INJURY OR DEATH

FROM FIRE OR EXPLOSION.

NO SMOKING OR OPEN FLAMES.





GAS / PETROL ONLY

OPEN SLOWLY IN WELL VENTILATED AREA





arbon monoxide (CO) can cause brain damage or death ngine and generator exhaust contains odorless and color Get fresh air if anyone shows signs of carbon monoxid

eaking fuel is a fire and explosion hazar Avoid serious injury or death from fire or explosion from leaking fuel. Inspect system for leaks at least once a year

SEA FOX BOAT COMPANY
MEETS U.S. EPA EVAP STANDARDS USING CERTIFIED COMPONENTS

Engine and generator exhaust contains odorless and colorless carbon monoxide gas.

Carbon monoxide will be around the back of the oat when engines or generators are running.

Move to fresh air, if you feel nausea, headache

A DANGER

NO WOOD! Failure to follow these warnings could cause SERIOUS INJURY or DEATH NO ROT! to available handrails while boat is moving to avoid falling overboard or being ejected from the boat. Do not sit on seat backs, gunwales or outermost deck edges.

(6)

WEAR U.S. COAST GUARD APPROVED LIFE JACKETS. DO NOT OVERLOAD THE BOAT, OCCUPANTS AND GEAR MUST BE PROPERLY AND EVENLY DISTRIBUTED fore and aft, and on both sides of the boat. Improper loading and/or overloading may result in poor

WARNING

(2)

- handling, sudden loss of control, swamping and/or capsizing REFER TO AND OBEY THE DESIGNATED OCCUPANT SEATING
- OBEY THE OPERATOR at all times
- DO NOT RESTRICT THE OPERATOR'S VISION.
- DO NOT DEPART THE VESSEL without informing the operator.

(6) DANGER

REMAIN PROPERLY SEATED AND HOLD ON



ROTATING PROPELLER CAN CAUSE SERIOUS INJURY OR DEATH. SHUT OFF MOTOR WHEN NEAR PERSONS IN WATER



A DANGER


Carbon monoxide (CO) can cause brain damage or death. Engine and generator exhaust contains odorless and colorless carbon monoxide gas. Carbon monoxide will be around the back of the boat when engines or generators are running. Move to fresh air, if you feel nausea, headache, dizziness, or drowsiness.

Model 231B

(4)

(4)









PLUMBING SCHEMATICS

FUEL SYSTEM






BILGE SYSTEM






FRESH WATER SYSTEM






RAW WATER SYSTEM






DECK DRAINS





SER UFOX


BOAT WORKS

LIVEWELL SYSTEM












ELECTRICAL SCHEMATICS

MAIN HARNESS


MAIN ACC HARNESS BAY FOX 231-251





SWITCH PANEL


MAIN SWITCH PANEL






BREAKER PANEL

BREAKER PANEL





DECK HARNESS




6 SPEAKER STEREO, NAV, MOOD LIGHT HARNESS



TOP HARNESS

HARDTOP OPTION




SEAFOX PT# 7939



UNDERWATER LIGHTS HARNESS

UNDER WATER LIGHT OPTION




SEAFOX PT# 7930



TROLLING MOTOR HARNESS


TROLLING MOTOR HARNESS



SF# 8830



BATTERY WIRING



BATTERY WIRING

